Appl. No. 10/017,768 Amendment dated December 30, 2004 Reply to Non-Final Office Action of August 27, 2004

AMENDMENTS TO THE CLAIMS:

will replace all listing of claims This versions, and listings, of claims in the application:

Listing of Claims:

- (Currently amended) A stabilized ascorbic acid composition comprising:
 - a) about 2 to about 10 wt % of L-ascorbic acid,
 - b) about 2 to about 10 wt % of at least one selected from the group consisting of non-film forming water soluble cationic polymers and cationic surfactants, and
- c) about 0.1 to about 70 wt % of at least one selected from the group consisting of humectants, polymers with humectant properties, and inorganic driers, wherein the ratio of ingredient (a) to ingredient (b) is about 0.2:1 to about 1:1, and wherein said composition is stable when stored at room temperature for a period of at least ten weeks.
- (Original) The composition of claim 1 wherein ingredient (b) forms complexes with both the ionized and the non-ionized forms of L-ascorbic acid.
- (Original) The composition of claim 1 which is stable at a pH from about 2 to about 7 at room temperature.
- (Currently amended) The composition of claim 1 wherein said cationic surfactant is selected from the group consisting of comprising of alkyltrimonium chloride and alkyltrimonium bromide.

5. (Canceled)

30-Dec-04 10:48

- (Original) The composition of claim 1 wherein said 6. cationic polymers are selected from the group consisting of guar cationic gums, cationic collagens, cationic keratins, cationic celluloses and cationic hydrolyzed proteins.
- The composition of claim 1 said composition (Original) displays a negative deviation from Raoult's Law.
- The composition of claim 1 wherein said (Original) 8. humectant is an organic molecule having a plurality of hydroxyl groups.
- The composition of claim 1 wherein said (Original) humectant forms multiple hydrogen bonds such that said composition displays a negative deviation from Raoult's Law.
- The composition of claim 1 wherein said 10. (Original) inorganic drier forms stable water-metal ion complexes.
- The composition of claim 1 wherein said (Original) 11. polymer with humectant properties forms multiple hydrogen bonds with water molecules thereby reducing the mobility of water molecules.
- (Original) The composition of claim 11 wherein the 12. said polymer with humectant properties also forms multiple bonds with ascorbic acid molecules.

Appl. No. 10/017,768

Amendment dated December 30, 2004

Reply to Non-Final Office Action of August 27, 2004

- 13. (Original) The composition of claim 1 wherein said polymer with humectant properties is selected from the group consisting of polyoxyethylene glycol, poly(vivylpyrrolidone), poly(vinylpyrrolidone) copolymers, cellulose and cellulose derivatives.
- 14. (Original) The composition of claim 1 wherein the concentration of said polymer with humectant properties is about 0.1 wt % to about 20 wt %.
- 15. (Original) The composition of claim 1 further comprising a metal sequestering agent.
- 16. (Original) An emulsion comprising:
 - (i) an oil phase, and
 - (ii) a water phase comprising the composition of claim 1.
- 17. (Original) The emulsion of claim 16 wherein said oil phase comprises one selected from the group consisting of an oil, an emulsifier and mixtures thereof.
- 18. (Original) The composition of claim 16 which is a water-in-oil (w/o) emulsion.
- 19. (Original) The composition of claim 16 which is an oil-in-water (o/w) emulsion.
- 20. (Original) The composition of claim 16 which is a water-in-oil-in-water (w/o/w) emulsion.

Appl. No. 10/017,768 Amendment dated December 30, 2004 Reply to Non-Final Office Action of August 27, 2004

- The composition of claim 20 wherein the 21. (Original) oil phase of said w/o/w emulsion comprises a silicone oil, and wherein the inner water phase of said w/o/w emulsion comprises said ingredients (a)-(c).
- (Original) The composition of claim 21 wherein the 22. concentration of ascorbic acid in said inner water phase is about 1% to about 7%.
- The composition of claim 21 wherein the (Original) 23. outer water phase comprises sepigel gel emulsifier.
- The composition of claim 23 wherein said (Original) 24. oil phase comprises a silicone oil and a silicone oil copolyol.
- (Previously presented) A method of making an Lascorbic acid composition that is stable when stored at room temperature for a period of at least two months, said method comprising the step of combining
 - about 2 to about 10 wt % of L-ascorbic acid, a)
 - b) about 2 to about 10 wt % of at least one selected from the group consisting of non-film forming cationic polymers and cationic surfactants, and
 - about 0.1 to about 70 wt % of at least one selected from the group consisting of humectants, polymers with humectant properties, and inorganic driers,

wherein the ratio of ingredient (a) to ingredient (b) is about 0.2:1 to about 1:1.